


William F. Humphrey 1. China arrow Boston Report 1404 Japan Cerrow 1429 India arrow 1459 Java arrow 14 83 Clavibay 1491 Bellahen 1300/6/16 Reller Deck. W1163-0027





Bethlehem 1385/6/7/8.


Lower Deck

Ghua Arrow Boston Report, 404 Gapan Arrow India Arrow Cfava Arrow 1483 1491

> © 2020 WI163-2939/d's Registe Foundation







Bethlehem Shipbuilding Gord " Ktd.,

main Borlers built by Vocalan Plant


Fa Fore River Plant Vall 7º 1387.

Copy of print approved 29 " July 1919

N° 441 LLOYD'S TEST 330 Us. WP 220 Us. 0 18-3-20. J.B. @ 1-5-20 India Orrows Bos. 1459.

W45-0208

Lloyd's Register Foundation



Donkey Boiler S/s China anow Japan anowy India aurow Belhlehem S B Co 1385/6/7/8 Boston report 1404 etc




ALTERATION

SAFETY VALVE MADE 2"DIA

505 4201 +4202

CONTRACTS Nº 1385-1386- JULY-7-19

DATE NOTE APP'D



GRATE SURFACE,

FUSIBLE PLUG IN

24 LAP IN FURNACE 3"DIA. HOLES 2"PITCH

LOWER HAND HOLE

花HOLES

ALL HANDHOLES TO HAVE

DOUBLING PLATE

HEAVY GAUGE TUBE

TRY COCKS

FUSIBLE PLUG IN

-25X4"HANDHOLES

-1-2-2-1-

25x25x5ANGLE

TO HOLES

DOUBLING PLATES

11-THUS

THOLES 2 PITCH

2-12

- 2'-42" O.D. IN HALVES

HEAVY GAUGETUBE

4.9 5Q.FT.

RATIO, HEATING SURFACE TO GRATE = 23.2 TO 1

AREA THROUGH TUBES 179.1 SQ.IN. = 36.5 SQ.IN.PER. SQ.FT. GRATE

WORKING PRESSURE 125 LBS, PER SQ.IN. TO BE MADE TO U.S. INSPECTION, LLOYD'S, AND AMERICAN BUREAU OF SHIPPING CONT. 1387-1388

TO BE MADE TO U.S. INSPECTION AND AMERICAN BUREAU OF SHIPPING - CONT. #1376 TO 1381TO BE MADE TO U.S. INSPECTION AND LLOYDS

TO BE MADE TO U.S. INSPECTION AND LLOYDS

EVAPORATION 140 LBS. OF WATER PER SQ.FT. OF GRATE

12 DIA. SAFETY VALVE = 1376 TO 1381 z'' = 4201 + 4202 - 1385 - 1386 - 1387 - 1388

MINIMUM TENSILE STRENGTH OF SHELL PLATES 58000 LBS. - CONT. # 1376 TO 1381

MINIMUM TENSILE STRENGTH OF SHELL PLATES GOOOD LBS. - CONT. #4201-4202-1385-1386-1387-1388



		: 420144				
	CONT "		85-1386 CANCE 84 ADDED	NED 8-4-19		20
	CONTRACTS NO.1385-1386-1367-1388 ADDED					$t^-$
	"	1384	CANCELED	8-22-19	-	21
					1	
	Чт		J		4	
				<b>*</b>		
	$\dashv \dagger$					1
- #	$\dashv +$				+	
4	$\perp \downarrow \downarrow$					
	++				. 🖅	
	$\dashv \downarrow$					7
			100			
				7		
•						
1, 1	4					
<b>A</b>	<b>→</b>					
					<u> </u>	
				1		
						1 *
				0 5		
12 05	g.					
138						
138	7			1		
138	6					
138	5					
138	THE RESERVE OF THE PERSON NAMED IN					
1138				App. A S		
137					<del></del>	<u> </u>
137	8					
137	7			4707	•	
137				420		
		MOORE	HARLAN	SPARRON		V
FORER	IVLK		The same of the sa		× 2	
		A STATE OF THE PARTY OF THE PAR	NUMBER			
BETHLEHEM SHIPBUILDING CORP. L						
DETHIELD PA						

BETHLEHEM, PA

APPROVED TRACED WEIMER APPROVED

CHECKED Keyou APPROVED

E-1376 - 35

ethichem 1385/4 Chara Serrow Bostoro Reports 1404 Japan arrow 1427 1459 Java arrow 1483 ( agrichay 1491

The state of the

© 2020

Lloyd's Register

Wiffs and ation

